

МОХОПОДІБНІ КАРБОНАТНОГО БОЛОТА ДОЛИНИ РІЧКИ ЗОЛОЧІВКИ (ЗОЛОЧІВСЬКА МТГ, ЛЬВІВСЬКА ОБЛ.)

¹Драч Ю. А., ¹Мамчур З. І., ^{1,2}Рагуліна М. Є.

¹Львівський національний університет імені Івана Франка

²Державний природознавчий музей НАН України

<https://park-podillya.com.ua/zbirnyk-do-200-richchia-didushyckoho>

Було досліджено мохи алканінового болота в долині річки Золочівка (село Зарваниця, Львівська область). В результаті дослідження було виявлено 13 видів із 13 родів, що належать до 8 родин відділу Bryophyta. Серед зареєстрованих видів два (*Aneura pinguis* та *Calliergon giganteum*) є регіонально рідкісними, а один вид (*Campyliadelphus elodes*) занесено до Червоного списку МСОП зі статусом NT (майже під загрозою зникнення).

Ключові слова: мохи, алканінове болото, річка Золочівка.

The bryophytes of a alkanine fen in the valley of the Zolochivka River were studied (Zarvanytsya village, Lviv region). As a result of the research, 13 species from 13 genera belonging to 8 families of the division Bryophyta were identified. Among the recorded species, two (*Aneura pinguis* and *Calliergon giganteum*) are regionally rare, and one species (*Campyliadelphus elodes*) is included in the IUCN Red List with the status NT (Near Threatened).

Keywords: bryophytes, alkanine fen, Zolochivka River.

<https://doi.org/10.32718/npppp-conference.2025.17>